


	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	IS&R	L1	1675	(382/128,154).CCLS.	USPAT	2006/07/06 09:33	
2	IS&R	L2	189	(128/922).CCLS.	USPAT	2006/07/06 09:33	
3	IS&R	L3	2387	(345/419-420).CCLS.	USPAT	2006/07/06 09:34	
4	IS&R	L4	910	(600/587).CCLS.	USPAT	2006/07/06 09:34	
5	IS&R	L5	414	(602/17-18).CCLS.	USPAT	2006/07/06 09:34	
6	IS&R	L6	155	(700/118).CCLS.	USPAT	2006/07/06 09:34	
7	BRS	L7	1488	((3d or 3-d or (three near1 dimension\$2)) near5 imag\$3) same (head\$2 or skull\$2 or cranial)	USPAT	2006/07/06 09:36	
8	BRS	L8	195	7 same (remodel\$4 or re- model\$5 or model\$4 or custom\$6)	USPAT	2006/07/06 09:37	
9	BRS	L9	6	8 same (orthos\$3 or wear\$4 or band)	USPAT	2006/07/06 09:37	
10	BRS	L11	0	1 and 10	USPAT	2006/07/06 09:37	
11	BRS	L12	0	2 and 10	USPAT	2006/07/06 09:37	
12	BRS	L14	0	4 and 10	USPAT	2006/07/06 09:37	
13	BRS	L15	0	5 and 10	USPAT	2006/07/06 09:37	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
14	BRS	L16	0	6 and 10	USPAT	2006/07/06 09:38	
15	BRS	L13	1	3 and 10	USPAT	2006/07/06 09:38	
16	BRS	L10	8	8 same (orthos\$3 or wear\$4 or band or helmet)	USPAT	2006/07/06 09:39	
17	BRS	L17	1	8 and ((child\$2 or (new near1 born\$2) or baby or babies or infant\$2) near5 (skull\$2 or head\$2))	USPAT	2006/07/06 09:40	

[Sign in](#)

Web Results 1 - 10 of about **14,100** for **cranial remodeling infant head three dimensional image**. (0.49 seco

Tip: Looking for pictures? Try [Google Images](#)

Manufacture of cranial remodeling orthosis - Patent 6340353

The patient's head is scanned to produce three dimensional data. ... for each infant, standardized off-the-shelf cranial remodeling bands are ineffective ...
www.freepatentsonline.com/6340353.html - 43k - [Cached](#) - [Similar pages](#)

Development of a new three-dimensional cranial imaging system.

The development of a new three-dimensional (3D) imaging system designed to obtain a digital image of an infant's cranium is described. ...
www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=14704586&dopt=Abstract - [Similar pages](#)

eMedicine - Craniosynostosis : Article by Spyros Sgouros, MD, FRCS ...

Cranial remodeling operations are associated with significant blood loss, ... Cremin BJ, Zeeman BJ: Three dimensional reconstruction in coronal synostosis: ...
www.emedicine.com/med/topic2897.htm - 149k - [Cached](#) - [Similar pages](#)

Cranionsynostosis - Skull Base Institute

This arrangement allows the infant's head to pass through the birth canal and as ... Cranial CT scan with three-dimensional reconstruction is another useful ...
www.skullbaseinstitute.com/craniosynostosis.htm - 27k - [Cached](#) - [Similar pages](#)

[PDF] Pediatric Neurology Timothy R. Littlefield

File Format: PDF/Adobe Acrobat - [View as HTML](#)

(B) Vertex eye view of infant in cranial remodeling band ... Calcaterra J, Luisi JL, et al: Plaster casting versus three- dimensional digitization. ...
www.plagiocephaly.org/resources/pdf/littlefield2005ip.pdf - [Similar pages](#)

[PDF] Craniofacial Deformity in Patients with Uncorrected Congenital ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Reorientation of the three-dimensional skull image for standard evaluation and ... An increase in infant cranial deformity with supine. sleeping position. ...
www.plagiocephaly.org/resources/pdf/Yu_et al2004.pdf - [Similar pages](#)

Misshapen Heads in Babies: Position or Pathology?

Other causes, such as cranial nerve IV palsy in which the infant tilts the head to achieve normal vision, are listed in Table 1
www.ochsnerjournal.org/ochsonline/?request=get-document&issn=1524-5012&volume=003&issue=04&am... - [Similar pages](#)

An Overview of Positional Plagiocephaly and Cranial Remolding ...

This concept of remodeling deviated head shapes was shown to be an effective, ... A cast or three-dimensional image of the infant's head is acquired. ...
www.oandp.org/jpo/library/2003_02_037.asp - 46k - [Cached](#) - [Similar pages](#)

[PDF] Cranial remodeling: from cultural practice to contemporary ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

causes the infant to maintain their head in a single orientation [L. ITTLEFIELD. ,1999, L ...

with **three-dimensional cranial** imaging. Cleft Palate ...
 edition.cens.cnrs.fr/revue/ bha/2005/v23/n1-2/011573ar.pdf - [Similar pages](#)

Craniosynostosis

Examining an **infant's head** from above can help the physician distinguish true ...
 craniectomy or **cranial vault remodeling** with excision of the frontal, ...
 www.aafp.org/afp/20040615/2863.html - 49k - [Cached](#) - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

New! Get live World Cup scores on your computer
[Download Google Desktop](#)

Google

ITLY vs US: Final Score

Italy	1
United States	1

Email [↗](#)

News [↗](#)


57°F Mostly Cloud [↗](#)

12:00 AM

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)

Web Results 11 - 20 of about 14,100 for **cranial remodeling infant head three dimensional image**. (0.19 sec

Tip: Looking for pictures? Try [Google Images](#)

[Journal of Craniofacial Surgery - Fulltext: Volume 15\(1\) January ...](#)

Development of a New **Three-Dimensional Cranial Imaging System**. Littlefield, Timothy R. MS*; ... Fig 1 Obtaining a cast impression of an **infant's head**. ...

www.jcraniofacialsurgery.com/pt/re/jcransurg/fulltext.00001665-200401000-00042.htm -

[Similar pages](#)

[Deformational Posterior Plagiocephaly: Diagnosis and Treatment](#)

Three-dimensional photography may eventually prove useful in quantifying the ... An increase in **infant cranial** deformity with supine sleeping position. ...

[cpcj.allenpress.com/cpcjonline/?request=get-document&doi=10.1597%2F1545-1569\(2002\)](http://cpcj.allenpress.com/cpcjonline/?request=get-document&doi=10.1597%2F1545-1569(2002)039%3C0582:DPPDAT%3...)

039%3C0582:DPPDAT%3... - [Similar pages](#)

[\[PDF\] Rapid development of Chiari I malformation in an infant with ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

rior **cranial vault remodeling**, with release of the posterior ... Right: **Three-dimensional CT** scan demon-. strating sagittal and lambdoid craniosynostosis. ...

www.thejns-net.org/jns/issues/v98n5/pdf/n0981113.pdf - [Similar pages](#)

[\[PDF\] Cleidocranial dysplasia in a mother and her daughter within the ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Three-dimensional CT scanning demonstrated a large. anterior fontanelle, a patent posterior ... **head**, and future craniofacial **remodeling** was recommend- ...

www.thejns-net.org/peds/issues/v104n4/pdf/p1040290.pdf - [Similar pages](#)

[Method and apparatus for producing three dimensional shapes patent ...](#)

In the past, a **cranial remodeling** band for the **infant** is produced by forming ... scanner is utilized to obtain **three dimensional** data of an **infant's head**. ...

www.freshpatents.com/Method-and-apparatus-for-producing-three-dimensional-shapes-dt20041118ptan2004023054... - 77k - [Cached](#) - [Similar pages](#)

[Cranial remodeling device database patent invention](#)

System 1900 may be utilized to automatically produce a **three dimensional** representation of the **infant's head** shape modified to produce a **cranial remodeling** ...

www.freshpatents.com/Cranial-remodeling-device-database-dt20041125ptan20040236708.php - 147k - [Cached](#) - [Similar pages](#)

[eMedicine - Congenital Syndromes : Article by Ian Jackson, MD](#)

Three-dimensional CT scans can be produced but yield no more information than ... This enlarges the anterior **cranial fossa**. The **head** is widened anteriorly ...

www.emedicine.com/plastic/topic183.htm - 232k - [Cached](#) - [Similar pages](#)

[trigonocephaly.html](#)

TI: **[Remodeling the cranial vault in anterior craniosynostoses. ... computer tomography (CT) scan and three-dimensional (3D) CT scan** were studied. ...

www.indiana.edu/~pietsch/trigonocephaly.html - 86k - [Cached](#) - [Similar pages](#)

[\[PDF\] 2005 ACPOC Annual Meeting Abstracts](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Following surgical separation, new **cranial remodeling** bands were ... a gait laboratory equipped with **three-dimensional** motion tracking and two force ...

www.jbjs.org/abstracts/acpoc05.pdf - [Similar pages](#)

[PDF] [Cyclic Exposure to Ozone Alters Distal Airway Development in ...](#)

File Format: PDF/Adobe Acrobat

(BioRad Cell Sciences Division, Hemp Hempstead, United Kingdom) 5-10 **images** were stacked together to produce **three-dimensional** composites of specific areas ...

ajplung.physiology.org/cgi/reprint/00027.2006v1.pdf - [Similar pages](#)




Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)

Web Results 21 - 30 of about 14,100 for **cranial remodeling infant head three dimensional image**. (0.24 sec

Tip: Looking for pictures? Try [Google Images](#)

Diagnosis and Management of Posterior Plagiocephaly – Pollack et ...

The routine use of CT, supplemented if necessary by **three-dimensional** ... Because most children with posterior plagiocephaly have open **cranial** sutures and, ...
pediatrics.aappublications.org/cgi/content/full/99/2/180 - [Similar pages](#)

[PDF] American Academy of Orthotists and Prosthetists

File Format: PDF/Adobe Acrobat - [View as HTML](#)

being scanned. There was consensus that capturing a **three-dimensional image** of the **infant's head** shape and being able to compare **images** at the beginning ...
www.oandp.org/assets/pdf/CSOP3_Draft_Final_Report.pdf - [Similar pages](#)

Plastic and Reconstructive Surgery - Fulltext: Volume 113(1 ...

was used to process the data and reconstruct **three-dimensional images**. ... WO An increase in **infant cranial** deformity with supine sleeping position. ...
www.plasreconsurg.com/pt/re/prs/fulltext.00006534-200401000-00003.htm - [Similar pages](#)

Plastic and Reconstructive Surgery - Fulltext: Volume 113(5) April ...

A skull series and a high-resolution **three-dimensional** computed tomography ... Passive molding-helmet therapy seems to assist the **cranial remodeling** process ...
www.plasreconsurg.com/pt/re/prs/fulltext.00006534-200404150-00012.htm - [Similar pages](#)
[\[More results from www.plasreconsurg.com \]](#)

Neurosurgery - Fulltext: Volume 42(1) January 1998 p 66-73 ...

CT scans with **three-dimensional** reconstruction confirmed the severe degree of fingerprint impressions on the occipital vault, with **cranial** lacunae and deep ...
www.neurosurgery-online.com/pt/re/neurosurg/fulltext.00006123-199801000-00013.htm - [Similar pages](#)

Journal of Craniofacial Surgery - Fulltext: Volume 14(4) July 2003 ...

Analysis of **Cranial Vault Morphology** in Deformational Plagi. ... **Three-dimensional** laser surface scanning of the **infant's head** and face circumvents these ...
www.jcraniofacialsurgery.com/pt/re/jcransurg/fulltext.00001665-200307000-00009.htm - [Similar pages](#)
[\[More results from www.jcraniofacialsurgery.com \]](#)

[PDF] JOHN ARTHUR PERSING, MD Business Phone : (203) 785-2570 ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

cranial remodeling procedures in children with craniofacial dysmorphism: A ...
 Commentary on Average African American **Three-Dimensional** Computed Tomography ...
www.yalesurgery.org/surgical_spec/faculty/cv/persing.pdf - [Similar pages](#)

AANS.org | Education and Meetings | AANS Scientific Journals ...

After **cranial remodeling** and suture release, the ventricles would be free to ... **three-dimensional** analysis of CT-scans of the calvaria and **cranial** base in ...
www.aans.org/education/journal/neurosurgical/dec97/3-6-p1.asp - 50k -
[Cached](#) - [Similar pages](#)

Three-Dimensional Analysis of Morphological Changes in the Maxilla ...

This illustrates the **remodeling** processes that take place in the alveolar ridge. ... Click on thumbnail for full-sized **image**. **FIGURE 3 Three-dimensional ...**

cpcj.allenpress.com/cpcjonline/?request=get-document& doi=10.1597%2F1545-1569(2002)039%3C0001:TDAOMC%3... - [Similar pages](#)

[[More results from cpcj.allenpress.com](#)]

The Whitaker Foundation Biomedical Engineering Research Grants ...

A Minimally Invasive Approach to **Three-Dimensional Image-Guided** Spinal Surgery ... a growth plate between the sphenoid and occipital bones in **cranial** base. ...

www.whitaker.org/abstracts/rgjun01.html - 123k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google